

## Specification Sheet CR-1010 Corrosion Remover/Etch

**CR-1010** is a liquid, viscous, acid cleaner and corrosion remover, for use on aluminum and stainless steel surfaces.

Viscous liquid for application to vertical surfaces and large structures.

- Powerful cleaning action.
- Removes oxides and corrosion products.
- Biodegradable.
- Nonflammable.
- Safe on most plastics.

Pre-clean surfaces with **AC-2010** to remove heavy greases and oils, prevent contact of **CR-1010** with glass and highstrength steel by masking.

Apply **CR-1010** with a brush or with stainless steel equipment. Always start at the bottom and work upwards to avoid streaking. Allow to remain in contact with the surface for 1 to 5 minutes.

Aluminum will cause **CR-1010** to form a White foam. When this foam starts to slide, agitate the surface and rinse with water. Aluminum alloys with a high copper content will turn dark after application of **CR-1010**. This dark film can be removed by agitation with a brush while rinsing **CR-1010** from the surface.

Surfaces which require painting must be washed with an Alkaline Cleaner such as **AC-2010**, rinsed, and allowed to dry before paint application.

## **Important:**

Avoid skin contact by wearing rubber clothing and a face shield. In case of accidental contact, wash with soap and water and seek medical attention. Avoid contact with eyes; if accidental contact occurs, immediately flush eyes with plenty of water for at least 15 minutes and seek medical attention.

**DO NOT** place **CR-1010** in galvanized containers. **ALWAYS** use plastic.

## **Health precautions:**

This product is safe to use and apply when recommended precautions are followed. Before using this product, read, and understand the Material Safety Data Sheet (MSDS), which provides information on health, physical and environmental hazards, handling precautions, and first aid recommendations.

- An MSDS is available on request.
- Avoid overexposure.
- Obtain medical care in case of extreme overexposure.

For industrial use only. Keep away from children.



## **Specification Sheet**

Shelf Life: 2 year

Approved by or Conforms to the following specifications:

Airbus AIMS 09-00-002 "Evaluation of Maintenance Materials" AMS 1626 Desmutter, Aluminum, Liquid Boeing D6-17487 Maintenance Material Specification (Except for Magnesium) Douglas CSD #1 "Aircraft Maintenance Chemicals" MIL-C-38334 Corrosion Remover Aircraft Surfaces, Type I

All recommendations, statements, and technical data contained herein are based on tests Aero Clean Technologies, LLC believe to be reliable and correct. Accuracy and completeness of said tests are not guaranteed and are not to be construed as a warranty, either expressed or implied. Users shall rely on their own information and tests to determine suitability of the product for the intended use and assumes all risks and liability resulting from his use of the product. Aero Clean Technologies, LLC and Seller's sole responsibility shall be to replace only that portion of the product of Aero Clean Technologies, LLC which proves to be defective. Neither seller nor Aero Clean Technologies, LLC shall be liable to the buyer or any third person for any injury, loss, or damage directly or indirectly resulting from use of, or inability to use, the product. Recommendations or statements other than those contained in a written agreement signed by an officer of Aero Clean Technologies, LLC shall not be binding upon the Aero Clean Technologies, LLC or seller.

> Revision: 0002 Date: 5/13/2021

Aero Clean Technologies, LLC 1320 Stephenson Lynchburg, VA 24501 (434) 381-0699 www.aerocleantechnologies.com